

Declaration of Compliance

Description	Material	Article Number
<i>Octaview</i>	<i>APET</i>	211936

Duni declares that the article meets the requirements of:

- Article 3, 11(5), 15 and 17 of Regulation (EC) No 1935/2004 (Framework regulation)
- EU Regulation 2023/2006/EC (GMP)
- EU Regulation 10/2011/EC with amendments (Plastic regulation)
- EU Regulation (EU) 2024/3190 on the use of bisphenol A (BPA) and other bisphenols
- Article 5 of Regulation (EU) 2025/40 on Packaging and Packaging Waste (PPWR) regarding the restriction of per- and polyfluoroalkyl substances (PFAS)

This plastic product has been manufactured only with monomers, other starting substances and additives that are authorized under Regulation (EC) 10/2011 and all amendments. A risk assessment according to Article 18 and Article 19 of Regulation (EC) No. 10/2011 has been performed for this product.

Overall migration

According to the above-mentioned regulations, the overall migration does not exceed 10 mg/dm² or 60 mg/kg.

Specific migration

The material contains monomers or additives subject to restrictions under the plastic regulation 10/2011 and its amendments. A specific migration test proves that these are within the limits. If more information regarding the monomers or additives is needed please contact Duni Group.

Area of use

The APET bowl is intended for contact with cold and ambient-temperature foods. Migration testing has been performed under conditions covering use at elevated temperatures; however, due to the inherent material properties of APET, a maximum use temperature of 70 °C is recommended. Consequently, the product is not suitable for hot-fill applications, prolonged exposure to elevated temperatures, or warm-keeping use, as such conditions may compromise the bowl's structural stability.

The articles should not be used in the microwave.

	Application	Specific conditions	
		Temperature (°C)	Period food contact
☞	Storage in freezer	-18 – 0	Very long (>> 10 days)
☞	Storage in fridge	0 – 10	Long (> 10 days) The food itself probably sets the limitation
☞	Storage at room temperature	Max 40	Long (> 10 days) The food itself probably sets the limitation
☞	Use with warm food	Max 70	Immediate use, not for warm keeping*
(No)	Keeping warm applications	< 70	< 2 hours
(No)	Hotfill & serving temperature	< 100	Immediate use
(No)	Microwave oven		Short (< 10 min)
(No)	Conventional oven	< 220	Short (< 2 h)

*The bowl can be filled with warm food up to 70 °C and then left to cool. It should not be used to keep food warm over time, as heat exposure may affect the bowl's shape and stability.

Test conditions

Migration tests on the material of the article performed by an independent institute showed that under the following test conditions overall migration (see 1.) and specific migration (see 2.) fall below the respective limits given by regulation 10/2011.

Overall migration OM2

Simulant	Contact time	Temperature	Result (mg/dm ²)
10 % Ethanol	10 days	40°C	< 10
3% Acetic acid	10 days	40°C	< 10
95 % Ethanol	10 days	40°C	< 10
Isooctane	2 days	20°C	< 10

Ratio of food contact surface area to volume of component used to establish the compliance of material is 0,5 cm²/cm³ (corresponds to 5 dm²/kg).

The products comply with the general restrictions of Regulation (EC) No. 10/2011 Annex 2 regarding heavy metals and PAA content.

Dual Use Additives

The material may contain one or more dual use additives (i.e. food additives or flavorings) subject to restrictions or specifications under Article 11.3 in EU Regulation 10/2011/EC (Plastic regulation).

Substance	Ref. No.	E-number
Calcium stearate	89040	E470a

This document of compliance is based on:

- Documentation from manufacturer
- Test reports

To the best of our knowledge, the information provided is accurate and reliable as of the date of publication and, where relevant, reflects the information received from suppliers. It is valid from the stated issue date until it is replaced or superseded.